UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/536,767	05/27/2005	Masakazu Baba	Q88071	Q88071 4363	
23373 SUGHRUE M	7590 12/19/2007 ION PLLC	007 EXAMINER		INER	
2100 PENNSYLVANIA AVENUE, N.W.			RINEHART, KENNETH		
SUITE 800 WASHINGTO	FE 800 SHINGTON, DC 20037		ART UNIT	PAPER NUMBER	
,			3749		
			MAIL DATE	DELIVERY MODE	
			12/19/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•	Application No.	Applicant(s)			
	10/536,767	BABA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Kenneth B. Rinehart	3749			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be available under the provisions of 37 CFR 1.12 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period v. Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	L. lely filed the mailing date of this communication. D. (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 14 N	ovember 2007.				
,—					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims		,			
4) ⊠ Claim(s) 1-11 is/are pending in the application. 4a) Of the above claim(s) is/are withdray. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-11 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or.	wn from consideration.				
Application Papers	•				
9) The specification is objected to by the Examine 10) The drawing(s) filed on 27 May 2005 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	☑ accepted or b) ☐ objected to be drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) □ Some * c) □ None of: 1. ☑ Certified copies of the priority documents have been received. 2. □ Certified copies of the priority documents have been received in Application No 3. □ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal P 6) Other:	nte			

10/536,767 Art Unit: 3749

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 11/14/07 have been fully considered but they are not persuasive. The applicant argues that Cannon fails to teach a sample drying area. The examiner believes that given the broadest reasonable interpretation, the reference reads on the claim language. The sample drying area is 3. The channel is 2. The fine channel is 1. Regarding the sample flows argument. If the sample did not flow from 2 through1 to 3, the apparatus would not work. Claims in a pending application should be given their broadest reasonable interpretation. The examiner does not believe that it is unreasonable for the reference to read on this broad claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Canon (06-010900). Canon shows a channel for a sample flowing in said channel (2, fig. 2), a sample drying area, disposed at an end of said channel and having an opening communicating with said channel (3, fig. 1); wherein said sample drying area comprises a fine channel narrower than said channel (1, fig. 1) and wherein said fine channel has a width such that liquid is drawn therethrough by capillary action (constitution), a sample holder (fig. 2).

10/536,767 Art Unit: 3749

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Canon (06-010900) in view of Apffel (5705813). Canon discloses a channel for a sample flowing in said channel (2, fig. 2), a sample drying area, disposed at an end of said channel and having an opening communicating with said channel (3, fig. 1); wherein said sample drying area comprises a fine channel narrower than said channel (1, fig. 1) and wherein said fine channel has a width such that liquid is drawn therethrough by capillary action (constitution)., a sample holder (fig. 2). Canon discloses applicant's invention substantially as claimed with the exception of wherein said sample drying area is filled with multiple particles, wherein said sample drying area is filled with a porous material. Apffel teaches said sample drying area is filled with multiple particles, wherein said sample drying area is filled with a porous material, sample holder (col. 6, line 32, col. 5, line 5-15, col. 4, lines 1-5, col. 4, lines 19-24) for the purpose of performing mass spectrometry. It would have been obvious to one of ordinary skill in the art to modify Canon by including said sample drying area is filled with multiple particles, wherein said sample drying area is filled with a porous material as taught by Apffel for the purpose of performing mass spectrometry to facilitate the analysis of the sample.

Claim 2-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sano et al in view of Canon. Sano et al discloses a channel for a sample flowing in said channel, a main

10/536,767 Art Unit: 3749

channel for a sample flowing in said main channel (Area where strip and space labels found, fig. 1); wherein said sample drying area comprises a fine channel narrower than said channel, a plurality of side channels branched from said main channel; and (Space, fig. 1), a sample ... area communicating with said side channels, wherein said sample drying area has a fine channel narrower than said side channels (gap, fig. 1), wherein said sample contains multiple components and said main channel comprises a separating portion to separate said components (small molecule, large molecule, fig. 1), said sample ... area comprises a plurality of protrusions separated each other (fig. 1). Sano et al discloses applicant's invention substantially as claimed with the exception of disposed at an end of said side channels, capillary action, drying. Canon teaches disposed at an end of said side channels, capillary action, drying (constitution and figures) for the purpose of eliminating pulsations in the flow of the sample. It would have been obvious to one of ordinary skill in the art to modify Sano by including disposed at an end of said side channels, capillary action as taught by Canon for the purpose of eliminating pulsations in the flow of the sample to provide for better analysis of the sample.

Claims 5, 8, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Canon in view of Pare et al. Canon shows a channel for a sample flowing in said channel (2, fig. 2), a sample drying area, disposed at an end of said channel and having an opening communicating with said channel (3, fig. 1); wherein said sample drying area comprises a fine channel narrower than said channel (1, fig. 1) and wherein said fine channel has a width such that liquid is drawn therethrough by capillary action (constitution), a sample holder (fig. 2). Canon discloses applicant's invention substantially as claimed with the exception of wherein said sample drying area has a lid comprising a fine channel communicating with said outside of said sample drying

10/536,767 Art Unit: 3749

device, wherein said sample drying device comprises a temperature controller for controlling a temperature of said sample drying area. Pare teaches wherein said sample drying area has a lid comprising a fine channel communicating with said outside of said sample drying device, wherein said sample drying device comprises a temperature controller for controlling a temperature of said sample drying area (col. 12, lines 11-15, fig. 3) for the purpose of removing liquid. It would have been obvious to one of ordinary skill in the art to modify Canon et al by including wherein said sample drying area has a lid comprising a fine channel communicating with said outside of said sample drying device, wherein said sample drying device comprises a temperature controller for controlling a temperature of said sample drying area as taught by Pare for the purpose of removing liquid in order to perform analysis on the substance. Canon et al in view of Pare discloses the claimed invention except for wherein said drying area has a shape so that the top of said sample drying area projects from said opening. It would have been an obvious matter of design choice to extend the projections, since such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art.

Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sano in view of Canon as applied to claims 2 and 3 above, and further in view of Apfel. Sano in view of Canon discloses applicant's invention substantially as claimed with the exception of wherein said sample drying area is filled with multiple particles, wherein said sample drying area is filled with a porous material. Apffel teaches said sample drying area is filled with multiple particles, wherein said sample drying area is filled with a porous material, sample holder (col. 6, line 32, col. 5, line 5-15, col. 4, lines 1-5, col. 4, lines 19-24) for the purpose of performing mass

10/536,767

Art Unit: 3749

spectrometry. It would have been obvious to one of ordinary skill in the art to modify Canon by including said sample drying area is filled with multiple particles, wherein said sample drying area is filled with a porous material as taught by Apffel for the purpose of performing mass spectrometry to facilitate the analysis of the sample.

Claims 5, 8, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sano et al in view of Canon as applied to claim 2,3 4 above, and further in view of Pare et al. Sano et al in view of Canon discloses applicant's invention substantially as claimed with the exception of wherein said sample drying area has a lid comprising a fine channel communicating with said outside of said sample drying device, wherein said sample drying device comprises a temperature controller for controlling a temperature of said sample drying area. Pare teaches wherein said sample drying area has a lid comprising a fine channel communicating with said outside of said sample drying device, wherein said sample drying device comprises a temperature controller for controlling a temperature of said sample drying area (col. 12, lines 11-15, fig. 3) for the purpose of removing liquid. It would have been obvious to one of ordinary skill in the art to modify Sano et al by including wherein said sample drying area has a lid comprising a fine channel communicating with said outside of said sample drying device, wherein said sample drying device comprises a temperature controller for controlling a temperature of said sample drying area as taught by Pare for the purpose of removing liquid in order to perform analysis on the substance. Sano et al in view of Pare discloses the claimed invention except for wherein said drying area has a shape so that the top of said sample drying area projects from said opening. It would have been an obvious matter of design choice to extend the projections, since

10/536,767 Art Unit: 3749

such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art.

Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sano et al in view of Canon as applied to claim 2 or 3 above, and further in view of Apfel. Sano discloses separating unit(fig. 1). Sano et al in view of Canon discloses applicant's invention substantially as claimed with the exception of sample holder, pretreatment unit, drying unit, mass spectrometry. Apffel teaches drying (col. 4, lines 1-3), sample holder (col. 6, line 32, col. 5, line 5-15, col. 4, lines 1-5, col. 4, lines 19-24), pretreatment unit (col. 4, line 32), drying unit (col. 4, line 1-3, mass spectrometry (col. 3, lines 50-56) for the purpose of performing mass spectrometry. It would have been obvious to one of ordinary skill in the art to modify Sano by including sample holder, pretreatment unit, drying unit, mass spectrometry as taught by Apffel for the purpose of performing mass spectrometry to facilitate the analysis of the sample.

Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Canon in view of Apfel. Canon (06-010900) shows a channel for a sample flowing in said channel (2, fig. 2), a sample drying area, disposed at an end of said channel and having an opening communicating with said channel (3, fig. 1); wherein said sample drying area comprises a fine channel narrower than said channel (1, fig. 1) and wherein said fine channel has a width such that liquid is drawn therethrough by capillary action (constitution), a sample holder (fig. 2). Canon discloses applicant's invention substantially as claimed with the exception of sample holder, pretreatment unit, drying unit, mass spectrometry. Apffel teaches drying (col. 4, lines 1-3), sample holder (col. 6, line 32, col. 5, line 5-15, col. 4, lines 1-5, col. 4, lines 19-24), pretreatment unit (col. 4, line 32), drying unit (col. 4, line 1-3, mass spectrometry (col. 3, lines

10/536,767

Art Unit: 3749

50-56) for the purpose of performing mass spectrometry. It would have been obvious to one of ordinary skill in the art to modify Canon by including sample holder, pretreatment unit, drying unit, mass spectrometry as taught by Apffel for the purpose of performing mass spectrometry to facilitate the analysis of the sample.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth B. Rinehart whose telephone number is 571-272-4881. The examiner can normally be reached on 7:20 -4:20.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Steven McAllister can be reached on 571-272-6785. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/536,767

Art Unit: 3749

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

kbr

KENNETH RINEHART PRIMARY EXAMINER